



Awarded
Most Trusted Brand



APPROVED BY
GOVERNMENT

GOVERNMENT
SUBSIDY AVAILABLE

AN ISO : 9001 CERTIFIED COMPANY.



RICO ITALY

Improving Farming - Improving Life



RAMSONS IMPEX

Website : www.ramsonsimpex.com

AN ISO : 9001 CERTIFIED COMPANY.



Mission

"We Seek to be the Best and Most Competitive Agricultural Mechanization Company"

We want to give innovative equipments with best and latest technology of international standard to our customer, also to equip Indian Farmers, gardeners with best machines and make them ahead in this world. It is our constant endeavor to bring to our customers, state of the art machinery and agricultural implements to help farmers work easier.

USP

We have aggressive pricing to make products affordable to end consumer.

Products are tested by various Agricultural University and approvals under various state subsidy programme.

Vision

**"We are alive to mechanization,
We are alive to Future"**

We are growing company, based on the requirement of our dealers and new technology we keep on adding new product range.

We are proud to have one of the most versatile product range, we understand requirement of our customer to solve field issues. We believe in adopting to the changing environment, it help us design and develop the best in class agricultural machinery and also provide us the ability to bring precision in our machinery, which substantially benefit the farmers across the country.

We aim to develop rural economy through mechanization with innovative and latest technology through import and products developed in India . For the said purpose we have developed our own brand "RICO ITALY"

Power Weeder/ Rotary Weeder

RICO ITALY
Improving Farming - Improving Life

RI 500



RI 500 A



RI 500+



PHANTOM

Model	RI 500 (Petrol)	RI 500 A (Petrol)	RI 500+
Engine type	single cylinder,vertical,4stroke, air-cooled,direct injection	single cylinder, vertical, 4stroke, air-cooled, direct injection	single cylinder,vertical,4stroke, air-cooled,direct injection
Power (Hp/kw/cc)	208 cc	208 cc	208 cc
Fuel Tank	3.9 Ltr.	4.5 Ltr.	3.9 Ltr.
Transmission	Gear Drive	Gear Chain + Belt	Gear Drive
Starting system	Recoil	Recoil	Recoil
Tilling Width	450-1200 mm	450-1200 mm	450-1200 mm
Tilling Depth	120 - 360 mm	> 100 mm	> 120 - 360 mm
Gear Shifting	2 Forward, 1 Reverse	2 Forward, 1 Reverse	Gear - 2 Forward, 1 Reverse
Weight	85 Kg.	85 Kg.	87 Kg. / 45 Kg.

Power Weeder/ Rotary Weeder

RICO ITALY
Improving Farming - Improving Life



RI 500 JX



RI 500 FX



RI 500 H

Model	RI 500 J & JX (Diesel)	RI 500 F & FX (Diesel)	RI 500 H DON (PETROL)
Engine type	single cylinder,vertical,4stroke, air-cooled,direct injection	single cylinder,vertical,4stroke, air-cooled,direct injection	Single cylinder, vertical, 4 stroke, air-cooled, direct injection
Power (Hp/kw/cc)	389 cc	296 cc	208 cc
Fuel Tank	5.0 Ltr.	5.0 Ltr.	5.0 Ltr.
Transmission	Gear Drive	Gear Drive	Gear Drive
Starting system	Recoil/Electric	Recoil/Electric	Recoil/Electric
Tilling Width	450-1200 mm	450 - 1200 mm	450 - 1200 mm
Tilling Depth	150 - 380 mm	120 - 360 mm	150-380 mm
Gear Shifting	2 Forward, 1 Reverse	2 Forward, 1 Reverse	2 Forward 1Reverse
Weight	140 - 150 Kg.	115 - 125 Kg.	85 - 110 Kg.
Dimension	1845 x 1170 x 1100 mm	1035 x 560 x 860 mm	1625 x 865 x 1287 mm

Power Weeder/ Rotary Weeder

RICO ITALY
Improving Farming - Improving Life

RI 720+
RI 720D+



RI 500X



RI 500JX
RT-SIMBA+



Model	RI 720 + / RI 720 D+	RI 500X (Petrol)	RI 500JX RT SIMBA+
Engine type	Single cylinder, 4stroke, vertical air-cooled, direct injection	single cylinder,vertical,4stroke, air-cooled,direct injection	single cylinder,vertical,4stroke, air-cooled,direct injection
Power output	7 HP / 6 HP (3600 rpm)	213 cc	389 cc
Fuel Tank	5.0 Ltr.	3.9 Ltr.	5.0 Ltr.
Starting system	Recoil	Recoil	Recoil / Electric
Transmission	Gear + Chain	Gear Drive	Gear Drive
Gear Shifting	2 Forward + 1 Reverse	2 Forward, 1 Reverse	4F + 2R
Tilling Scope	620 mm	450 - 1200 mm	300 - 1500 mm
Tilling Depth	≥ 100 mm	120 - 360 mm	150 - 380 mm
Fuel	Petrol / Diesel	Petrol	Diesel

Power Weeder/ Rotary Weeder

RICO ITALY
Improving Farming - Improving Life

RI 740D

RI 740

RI 740 (Petrol)

Single cylinder,4-stroke,
OHV25°inclined, Air Cooled
270 cc
77x58 mm bore & Stroke
≤374 g/kw·h consumption
Starting - Recoil
450 - 720 mm tilling width
Gear 4 Forward, 3 Reverse
Wheel 10 x 5 inch

RI 740 D (Diesel) & DX

single cylinder,vertical,4stroke,
air-cooled,direct injection
408 cc
86x72 mm bore & Stroke
≤282 g/kw·h consumption
Starting - Recoil / Electric
450 - 720 mm tilling width
Gear 4 Forward, 3 Reverse
Wheel 10 x 5 inch

RI-300
G+

RI 300 G+

4 Stroke
2.5 Hp
440mm Tilling Scope
≥ 100 mm Tilling Depth
Petrol

AI 900

AI 900

single cylinder,vertical,4stroke,
air-cooled,direct injection
208 cc
3.9 Ltr.
Gear Drive
Recoil
450-1200 mm
120 - 360 mm
2 Forward, 1 Reverse
85 Kg.

Power Weeder Attachments

RICO ITALY

Improving Farming - Improving Life

Plough



POTATO
DIGGER



Trencher



Cultivator



GARLIC
DIGGER



Hal




Seed
Drill



M.B.
PLOUGH



Reversible
M.B.
Plough



Rake
Tiller



**Power Weeder
Attachments**

RICO ITALY
Improving Farming - Improving Life

**Paddy
Wheel**

Leveler

Seat

Trolley

Ridger

**Deep
Tillage
Blades**

**Iron
Wheel**



Power Weeder Attachments

RICO ITALY

Improving Farming - Improving Life

Cutter Bar



Reaper Attach.
RI 740




Reaper Attach. RI 500 & 500 JX



Snow Thrower



Narrow Blade



Lubrication Oil



Power Weeder Blades

Made with Special BORON Steel



Crop Reaper / Brush Cutter

Knapsack

RI 430 A	RI 431 A
air-cooled,2-stroke petrol	air-cooled,4-stroke petrol
power 1.2kw	power 0.92 kw
Engine 43cc	Engine 35cc (GX 35)
Starting Manually	Starting Manually
Fuel tank 1.2L	Fuel tank 0.75L
Fuel Ratio 25:1	Fuel Pure Petrol
Wt. 8.5KGS/7.5KGS	Wt. 9.5KGS/8.5KGS



RI 430 A
RI 431 A

Also Available (RI 431 Prime)
& (RI 431 A Prime)

Crop Reaper / Brush Cutter

Side Pack

RI 430	RI 431
air-cooled,2-stroke petrol	air-cooled,4-stroke petrol
power 1.2kw	power 0.92 kw
Engine 43cc	Engine 35cc (GX 35)
Starting Manually	Starting Manually
Fuel tank 1.2L	Fuel tank 0.75L
Fuel Ratio 25:1	Fuel Pure Petrol
Wt. 8.5KGS/7.5KGS	Wt. 9.5KGS/8.5KGS



RI 430
RI 431

Crop Reaper / Brush Cutter

RI 451

air-cooled, 4-stroke petrol
power 1.2 hp / 7000 Rpm
Engine 50cc (GX 50)
Starting Manually
Fuel tank 0.80 L
Fuel Pure Petrol
Wt. 8.5KGS/7.5KGS
Side Pack

RI 451 A

air-cooled, 4-stroke petrol
power 1.2 hp / 7000 Rpm
Engine 50cc (GX 50)
Starting Manually
Fuel tank 0.80 L
Fuel Pure Petrol
Wt. 9.5KGS/8.5KGS
knapsack



RI 451

RI 451 A

Brush Cutter Accessories



2 T Blade



3 T Blade



Diamond Blade



Aluminium Blade



Rotary Harrow



40/80 T Blade



Trimmer Line




Round Rotary



Rotary

Chain Saw



Tap & Go



Paddy Guard



Water Pump



RI-MT 52

RI MT 52

2 Stroke
52cc
30cm Tilling Scope
10 -15cm Tilling Depth
Petrol

Planter / Earth Auger

RICO ITALY

Improving Farming - Improving Life

RI 5200 EA

air-cooled,2-stroke petrol
6500 r/min/ 1.25 Kw
Engine 52cc
Starting Manually
Size 75/100/150/200mm
Fuel 30 : 1

RI 6300 EA

air-cooled,2-stroke petrol
6500 r/min
Engine 63cc
Starting Manually
Size 75/100/150/300mm
Fuel 30 : 1

RI 5200 EA

RI 1730

RI 1730

air-cooled,4-stroke
3600 r/min/ 3.7 Kw
engine 173 cc
Starting Manually
Size 300/350/400/450/500mm
Fuel Petrol

RI 50 EA 4S

air-cooled,4-stroke
7000 r/min/ 1.5 Kw
engine 50 cc
Starting Manually
Size 75/100/150mm
Fuel Petrol

RI 6300
EA/EAW

ULV Sprayers

Model	RI CF 20
Tank Capacity	20 Ltr.
Input Power	110 - 220 V
Flow Rate	0.3 Ltr. / min.
Drop Size	5 - 20 micron
Horizontal Range	10 mtr.
Weight	4.5 Kg.
Power	2.2 Kw. / 25000 Rpm

RI CF 20

RI 144F

RI 144F

4 Stoke, Air Cooled
53cc
Manually
4,6,8,10 & 12 inch Drilling
Petrol

Mower / Lawn Mower



RI LM 18



RI LMM 20



RI LMM
SHARK 1



RI LMM
SHARK 5



RI LM 18	RI LMM 20	RI LMM SHARK 1	RI LMM SHARK 5
air-cooled, 4-stroke / 139 cc Engine	3 HP Motor Single Phase	1.2 Kw/3000 rpm Motor	1.8 Kw/3000 rpm Motor
3600 r/min/ 4 HP Petrol Engine	2800r / min / 2.4 Kw	32cm, 320mm cutting capacity	46cm, 460mm cutting capacity
Size 18"	Size 20"	25/40/55mm Cutting Heights	25-75mm Cutting Heights
Mowing 25-75mm	Mowing 25-75 mm	35 L Collection Box	50 L Collection Box
Self Propelled	Self Propelled	Push Type	Self Propelled
Wt. 25kg/27kg	G.W/N.W - 37/34.6 kg	G.W/N.W - 12/13.1 kg	G.W/N.W - 27.5/30.5 kg

RI LM DELTA 12

12" Cutting Path

5 Steel Blades

14-47mm Manual Height Adjustment

RI LM DELTA 14

14" Cutting Path

5 Steel Blades

14-47mm Manual Height Adjustment

RI LM DELTA 18

18" Cutting Path

5 Steel Blades

35-64mm Manual Height Adjustment



Pallet Machine



RI PM2150

RI PM3150

Snow Thrower



Model	TWO BALL PELLET MACHINE	THREE BALL PELLET MACHINE
Capacity	120-150 KG	150-180 KG
Motor Power	3/5 HP	3/5 HP
Type	Horizontal	Horizontal
Motor	Single Phase / Copper Winding	Single Phase / Copper Winding

Engine	5.5 - 15 Hp
Width	560-770 mm
Intake Height	405-585 mm

Agricultural Engines

Petrol & Diesel Portable Engines
3HP, 6.5 HP, 7 HP, 9 HP



Model	RI 152F	RI 168F	RX 80
Engine Horsepower	2.5	5.5	2.0
Displacement (cc)	97	163	79.7
Fuel	Petrol	Petrol	Petrol



Reaper Binder Rope

Reaper Binder

Tractor Reaper Binder



Overall Length	3460 mm
Overall Width	1900 mm
Reaping Width	1400 mm
Reaping Height	Adjustable
Capacity	4.5-5 Ha/H
Weight	385 Kgs.
PTO Shaft Rotation	540 (Max.)
Required Horse Power	35-45

गेहूँ एवं धान की कटाई व बंधाई करने वाला रीपर बाइंडर



Improving Farming - Improving Life

Self Propelled Reaper

RI 2000

Model	RI 2000
Engine	196 CC
Productivity	Approx. 2000 m ² /Hr.
Cutting Width	1200 mm / 4 Ft.



Power Trolly



Model	RI 710	RI 615	RI 720 PT
Engine	6.5 Hp Petrol	6.5 Hp Petrol	6.5 Hp Petrol
Transmission	3 Forward + 1 Reverse	3 Forward + 1 Reverse	3 Forward + 1 Reverse
Load Capacity	300 Kg	300 Kg	500 Kg

Power Pruner

RI PP25



Model No.	RI PP25
Cutting Diameter	28 mm
Power Rating Battery	16.8V
Max Power	500 V
Charging Time	2 Hrs.
Weight	0.9 KG

RICO ITALY

Improving Farming - Improving Life

Wool Clipper



Model	RI PWC
Voltage	220-240 V / 50 Hz
RPM	3600
Net Weight	1.9 Kgs.

Wood Chipper Shredder

RI 6070



Model	RI 6070
Chipping Capacity	70mm
Disc/Rotter Size	400x10mm
Knives	2
Wt.	90 Kg
Engine	6.5 Hp

Harvester / Chain Saw



Model	RI 4500	RI 5800
Displacement	45cc	58cc
Rated Power	1.7kw/8000rpm	2.4kw/8500rpm
Bar Length	16-18	20-22
Fuel Tank Capacity	550 ml	550 ml
Oil Tank Capacity	260 ml	260 ml
G.W./N.W.	7.8/6.8 kgs	8/7 kgs

Cordless Chain Saw

Model	RI 550
Max Cutting Dia	120 MM
Chain Sproke	7 Teeth
Speed	400 RPM
Guide	5 Inch
Weight	880 GM
Charging Time	2 Hrs
Working Time	60 Min
Start	Manually



Water Pumps



RIP 10



RIP 15



Petrol

RI 8015
VODA



Petrol

RIP 20



Petrol

RIP 20HH
RIP 30HH



Water Pump High Head Prime


Model	RIP 10	RIP 15	RI 8015 VODA	RIP 20	RIP 30	RIP 20HH	RIP 30HH
Displacement (cc)	97	97	97	163	163	163	389
Inlet & Outlet Size (mm)	25 x 25	40 x 40	40 x 40	50 x 50	80 x 80	50 x 50	80x 80
Suction (mtr.)	6	6	6	7	7	7	7
Total Head (mtr.)	21	21	21	23	23	65	75
Fuel	Petrol	Petrol	Petrol	Petrol	Petrol	Petrol	Petrol



Diesel

Model	RID 30	RID 30 PRIME	RID 30 HH PRIME
Engine Horsepower	6	6	8
Inlet & Outlet Size (mm)	50 x 50	80 x 80	80 x 80
Suction (mtr.)	8	8	8
Total Head (mtr.)	26	26	75
Fuel	Diesel	Diesel	Diesel

Garden Sprayers



AVAILABLE IN : GRI 16E / GRI 16EM / GRI 8018 / GRI 22EM / GRI 26E / GRI 30F / GRI 30EM / GRI 18EM

Model	GRI 16E / 16 EM	GRI 8018 (Rabit)	GRI 22EM	GRI 26E (ITALIA)	GRI 30F	GRI 30EM	GRI18 EM (LILYPUT)
Speed (rpm)	3600	0	3600	3600	520-900	3600	3600
Flow rate (lpm)	07 - 19	0	14 - 22	14 - 26	19.5-34	25 - 35	18 - 28
Working Pressure (mpa)	1.5 - 2.5	0	1.5 - 2.5	1.5 - 2.5	15-50	1.5 - 2.5	1.5 - 2.5
Power (Hp)	2.5	0	5.5	7	3-5	5.5	3.0

Mechanical Fogging Sprayer



RI FMW

Model	RI FMW
Spraying Volume	15-40 Ltr. / Hr.
Fuel	Petrol
Aerosol	Diesel or Other
Power Supply	Dry Batt. 2x1.5
Oil Consumption	1 Ltr/Hr.
Tank Capacity	16 Ltr.



RI MN 45

Model	RI MN 45
Product	Mini Fogger
Fuel	Butane 220gm Gas
Aerosol	Diesel
Weight	1.8 Kg.
Tank Capacity	2.5 Ltr.

HTP Sprayers

RICO ITALY
Improving Farming - Improving Life



MODEL	RI 16	RI 18	RI 22	RI 26	RI 30	RI 30F	RI 50	RI 80	RI 120
Speed (rpm)	800 - 1200	800 - 1200	800 - 1200	800 - 1000	800 - 1000	520-900	800 -1200	800 - 1000	800 - 1000
Flow rate (lpm)	17 - 19	18 - 28	14 - 22	14 - 26	33 - 40	19.5-34	33 - 44	55 - 65	103 - 116
Working Pressure (kg/cm ²)	20 - 45	20 - 45	20 - 45	20 - 45	20 - 45	15-50	20 - 45	20 - 45	20 - 45
Power (Hp) {Required}	1	2	2	3	3	3-5	5	7.5	7.5

Air Blast Mist Sprayers

RI 8000
(Dragon)



MODEL	RI 8000 (Dragon)
Engine	7 Hp
Pressure (Mpa)	2.0 - 3.5
Flow rate (L/min)	14 - 22
Pump Speed (r/min)	800 - 1200
Diameter (mm)	500
Fan Speed (r/min)	3000 - 4000
Number of Nozzle	8
Tank Volume (L)	200
Spray Range (m)	5.0 - 7.0

Mechanical Power Sprayers



Diaphragm Pumps

RI 708
RI 708 4S



RI 708
4SH



RI GMF
20/30



Model	RI 708
Tank	20/25L
Engine	TU26 (2 Stroke)
Pressure	25-30 Ltrs.
Discharge	8 Lpm

Model	RI 708 4S
Tank	20/25L
Engine	4 Stroke
Pressure	25-30 Ltrs.
Discharge	8 Lpm

Model	RI 708 4SH
Tank	20/25L
Engine	GX 35 (4 Stroke)
Pressure	25-30 Ltrs.
Discharge	8 Lpm

Model	RI GMF 20/30
R.P.M	550r/min
Flow	20/ 30/40/50/60/70L/min
Bar/psi	30/435

Mini Power Sprayer

RI 768
Dinky+



RI 770
HUSKY



RI 768 4SH



Model	RI 768 Dinky
Engine	
Pressure (mpa)	
Net Weight (kg)	
Flow Rate (LPM)	
Pump	

Model	RI 768 DINKY
Engine	GX 35 (4 Stroke)
Pressure (mpa)	1.5 - 2.5
Net Weight (kg)	13.5
Flow Rate (LPM)	25-35
Pump	Brass

Model	RI 768 DINKY +
Engine	GX 35 (4 Stroke)
Pressure (mpa)	1.5 - 2.5
Net Weight (kg)	13.5
Flow Rate (LPM)	25-35
Pump	Brass

Model	RI 770 HUSKY
Engine	GX 50 (4 Stoke)
Pressure (mpa)	1.5 - 2.5
Net Weight (kg)	15
Flow Rate (LPM)	25 - 35
Pump	Brass

Model	RI 768 4SH
Engine	GX 35(4 Stroke)
Pressure (mpa)	1.5 - 2.5
Net Weight (kg)	8/9
Flow Rate (LPM)	25-35
Pump	Brass

Sprayers

Hand Operated

1.0 Ltr.
1.5 Ltr.
2.0 Ltr.



Manual Operated

RI 16B

Tank 16 Ltr.
HDPE



Battery Sprayer Mist Gun

RI BTMG



Battery Operated

RI BT16



RI BT M



**RI BTM
(2 in 1)**



Pressure Sprayers

RI 1650



Model	RI BT 16	RI BT M	RI BTM (2 in 1)
Tank	16L	18L	18L
Battery	12V-8AH	12V-12AH	12V-8AH
Working Pressure	5-6 Kg. / cm ²	8-9 Kg. / cm ²	5-6 Kg. / cm ²
Discharge	2-3 Lpm	5-6 Lpm	2-3 Lpm

Model	RI 1650
Working Pressure	80 Bar
Max Flow	7 L/min
Motor Power	1600 W
Net Wt.	10 kg

RI 152T



RICO ITALY

Improving Farming - Improving Life

Tractor Power Sprayer

GRI 22EMT



Model	RI 152 T	GRI 22 EMT
Tank Capacity	100 Ltrs.	220 Ltrs.
Pump & Engine	RI 16EM (RI 152 Engine)	RI 22 EM (RI 168 Engine)

RI 500
PTS



RI 1000
TS




RI 2000
TS



Model	RI 500 PTS	RI 1000 TS	RI 2000 TS
Tank Capacity	500 Ltrs.	1000 Ltrs.	2000 Ltrs.
Pump	HTP 30	HTP 50	HTP 80
Flow Rate	30 - 35 Ltr./ Min.	50 Ltr./ Min.	80 Ltr./ Min.
Hose Pipe	100 mtr. (10 mm)	100 mtr. (10 mm)	100 mtr. (10 mm)
Tank Material	HDPE	HDPE	HDPE

RICO ITALY

Improving Farming - Improving Life



**Lay Flat PVC Water
Discharge Hose Pipe**
1/1.5/2/2.5/3/4 inch.



**High Pressure
Hose Pipe**
8.5 / 10.00 / 12.00 mm

Sprayer Accessories



Hi Pressure Gun

Multicrop Thresher



RI 2413

Rice Transplanter



**RI CB
4TPM**

Model	RI 916	RI 2413
Size	9 x 16	24 x 13
Usage	Wheat, Gram, Pulses, Millets	Wheat, Gram, Pulses, Millets
Output	60-120 kg/hr.	150-200 kg/hr.
Power Required	2 H.P.	3 H.P.
Spl. Design for	Hilly Areas	Hilly Areas

RI CB4TPM
Two Row
Row Distance-25cm
Efficiency - 500sqmt/H
Base Plate - Stainless Steel
Weight - 18 kg

Flour Mill



Flour
Mill

RI 1M ATTA	RI 3M ATTA	RI 5M ATTA
2.0 Hp	3.0 Hp	5 Hp
0.8 kwh	1.41 kwh	3.4 kwh
10-15 kg./hr.	15-20 Kg./hr.	30-50 Kg./hr.
100% Copper, 250v 2990 Rpm, Single Phase	100% Copper, 250v 2900 Rpm, Single Phase	100% Copper, 250v 2900 Rpm, Single Phase / Three Phase



GRAVY
FLOUR
MILL



RI LIBA

Model	RI LIBA
Power	1.0 Hp
Power Consumption	0.89 kwh
Production Capacity	7 - 10 Kg./hr.
Motor	100% Copper, 250v 2800 Rpm, Single Phase



RI COPPER	RI SILVER	RI GOLD	RI DIAMOND
1.0 Hp	2.0 Hp	3.0 Hp	5.0 Hp
Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
100% Copper, 250v 2800 Rpm, Single Phase	100% Copper, 250v 2880 Rpm, Single Phase	100% Copper, 250v 2880 Rpm, Single Phase	100% Copper, 250v, 2880 Rpm, Single Phase/Three Phase

Manual Seeder



MODEL	RI SE105	RI SE102	RI SE107	RI SE209
Spacing	13-25 cm	Manual	10-15 cm	10-15 cm
Suitable Seed	Corn, Soybean, Peanut, Chickpea, Cotton	Corn, Soybean, Peanut, Cotton	Cabbage, Onion, Parsley, Corret Etc	Cabbage, Onion, Parsley, Corret Etc
Hole Seeding rate	1-2 Seeds	1-3 Seeds	1-2 Seeds	2-4 Seeds
Capacity	2 - 3 kg	1.5 - 2 kg	2 - 3 kg	4-6 Kg
G.W/N.W	10.2/9.0 kgs	3/2.7 kgs	18.5/18Kg.	28 kg.
Dimension	54x24x58 cm	81x41x43 cm	91x28.5x29 cm.	91x28.5x29 cm.

Chaff Cutter



RI 9Z P

Model	RI 9ZP/9ZPE	RI MT-30	RI MT-10
Production Capacity	400-500 Kg./ Hr.	1500-2000 Kg./ Hr.	1000-1200 Kg./ Hr.
Suitable for	Grass & Straw	Maize	Maize
Power Required	3 Hp. Motor/ 7Hp. Engine	2 Hp. Motor	1 Hp. Motor

Maize Thresher



RI MT 30

RICO ITALY

Improving Farming - Improving Life



MODEL	RI DYNA (4 in 1)
Power	2.2 kw
Productivity (kg/h)	120-150 (Rice)/150 (Flour)
Screening Rate (%)	90
Total Weight	87



MODEL	RI LIRA
Power	3 hp
Grinding Plate(mm)	200
Production Capacity(kg/hr)	100-150
Total Weight(kg)	46
Suitable for	Corn/Rice Flour, Spices, Salt, Chillies, Pluses etc



MODEL	RI RADIUM PLUS
Power	3HP Single Phase
Motor	100% Copper, 2800 RPM
Application	Corn, Wheat, Rice & Similar



Rice Mill

Rice Mill Attachment



RI 6N 40
RISO

MODEL	RI 6N 40 RISO
Motor	4 hp single Phase
Production (White Rice)	130-170 kg/hr
Production (Brown Rice)	160-200 kg/hr
Production (Millet)	>=200 kg / hr

RI 6N
ZETA



MODEL	RI 6N ZETA
Power	Single Phase Motor
Application	Rice Grader

Crop Winower



Paddy Thresher

RI 6N
PLUTO



RI-PT50
RI-PT50 E



RI PT50H



MODEL	RI 6N PLUTO
Production Capacity	800-2000 kg/hr
Power	0.15 hp
Spindle Speed	1400 rpm
Application	corn, wheat, rice, Miletos & Simillar

Model	RI PT 50 / PT 50 E	RI PT 50 H
Production Capacity	>= 600kg. / Hr.	>= 600 kg. / Hr.
Power Required	3 Hp. Motor / 7 Hp. Engine	7 Hp. Engine
Suitable For	Paddy, Wheat, Soyabean, Miletos	

Rice Mill

RI 6N 70



RI 6N 40
PRIME



Model	RI 6N 70
Motor	10 Hp 3 phase
Production Capacity	400 - 600
Rotar Diameter	70 mm
Application	Rice, Corn, Wheat, Coffee, Millet,

Model	RI 6N 40 PRIME
Motor	3 Hp Single Phase
Production Capacity	200 - 250
Rotar Diameter	100 mm
Application	Rice, Corn, Wheat, Coffee, Millet,

Model	RI 6N 40 PRIME
Motor	3 Hp Single Phase
Production Capacity	200 - 250
Rotar Diameter	100 mm
Application	Rice, Corn, Wheat, Coffee, Millet,



Awarded
Most Trusted Brand

RI Y 86



Rice cum Flour Mill (2 in 1)

Model	RI Y 86
Motor	3 Hp
Production(Rice Mill)	>_146 Kg/h
Production (Animal Feed)	>_63 Kg/h
Spindle Speed (Rice Mill)	1600 rpm
Spindle Speed (Flour Mill)	4800 rpm
Chamber Dia	220 mm

Rice Mill

Model	RI 6N 40
Motor	3 Hp Single Phase
Rotar Speed	1600 rpm
Rotar Diameter	40
Application	Rice, Corn, Wheat, Coffee, Millet,

RI 6N 40



Auth. Dealer :

RAMSONS IMPEX

Website : www.ramsonsimpex.com



Like : [ramsonsimpexico](https://www.facebook.com/ramsonsimpexico)



Subscribe : [ramsonsimpexx](https://www.youtube.com/ramsonsimpexx)



Follow : [_ricoitaly_](https://www.instagram.com/_ricoitaly_)



Follow : [rico_italy](https://twitter.com/rico_italy)